GRUPPO CERAMICHE

GRESMALT

DECLARATION OF PERFORMANCE

N° 001CPR2013-07-01

1. Unique identification code of the product type	Dry-pressed ceramic tiles, with water absorption $E_b \leq 0,5\%$
2. Intended use(s)	For internal and external walls and floorings
3. Name or registered trade mark, and contact address of the manufacturer	Gruppo Ceramiche Gresmalt spa, via Statale 467, n° 45, 42013 Casalgrande (RE), Italy
4. System(s) of assessment and verification of constancy of performance (AVCP)	Systems 4

5. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	$A1_{FL}$ - A1	EN 14411: 2012
Release of dangerous substance, for: - Cadmium - Lead	 NPD NPD	
Breaking strength Thickness ≥ 7,5mm Thickness < 7,5mm	 ≥ 1300 N ≥ 700 N	
Slipperriness	See table attached	
Tactility	NPD	
Bond strength/adhesion, for: Cementitious adhesive (type C2)	 ≥ 0,5 N/mm^2	
Thermal Shock resistance	Pass	
Durability for: - internal use: -external use: freeze-thaw resistance	 Pass Pass	

6. Declaration	The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued under the sole responsability of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Filippo Salvarani (Chairman)

SASSUOLO 11/12/2018
(Place and date of issue)

(Signature)

GRUPPO CERAMICHE
GRESMALT

SLIPPERINESS TABLE

TEST METOD USED	DIN EN 16165
SERIES	VALUE/CLASS
ALP STONE (45x90 - 22,5x90)	R9
ALP STONE (60x60 - 30x60)	R10
ASTRA	R9
ASTRA GRIP	R11
BAHIA	R10
BAHIA (59,5x118,7)	R9
BAHIA OUTDOOR	R11
CEMENTO	R11
CHEF	NPD
CHIANCA	R9
CHIANCA GRIP	R11
COTTO	R9
COTTO GRIP	R11
CROSSOVER	R9
DOM.INO	R10
DOM.INO GRIP	R11
FLAGSTONE	R10
FLAGSTONE GRIP	R11
FLOW	R10
FLOW GRIP	R11
FOUR	NPD
GLASS	NPD
HICKORY	R9
HICKORY GRIP	R11
KRONOS NATURALE	R10
LOSA	R9
LOSA GRIP	R11
LUBERON	NPD
LUBERON GRIP	R12
MARNA	R9
MARNA GRIP	R11
MONASTERE (BEIGE, EXT AUTOMNE, EXT MULTICOL)	R10
MONASTERE (BLANC, BLANC DECOR, BEIGE DECOR)	NPD
MONASTERE (NEW GRIS)	R9

GRUPPO CERAMICHE
GRESMALT

SLIPPERINESS TABLE

TEST METOD USED	DIN EN 16165
MONASTERE GRIP	R11
OFF	R10
PIERRE BLEUE	R9
PIERRE BLEUE GRIP	R11
PIETRA	R11
PIETRA DI LECCE	R10
PIETRA DI LECCE GRIP	R11
PLANKWOOD	R10
PLANKWOOD GRIP	R12
QUARTZ STONE SATIN	R10
QUARTZ STONE GRIP	R11
SO FANCY	NPD
SOHO	R9
SOHO DECK	R10
SOHO DECK GRIP	R11
SOHO EXTRA	R11
SOHOWOOD	R10
SOHOWOOD GRIP	R12
TIMBER	R9
TIMBER GRIP	R11
TOUCH	R10
TOUCH GRIP	R11
XYLA	R10
XYLA GRIP	R12